



Annual Report of the Medical Officer of Health (M.W. Williams, M.R.C.S., L.R.C.P.)  
and the Sanitary Inspector (E.E. Jones, M.S.I.A.) For the Year ending 31st December 1950.

Area of Urban District (Acres) 1431  
Registrar General's Estimated population (mid 1950) 2738  
Number of inhabited Houses 823  
Rateable Value £1476  
Sum represented by a penny rate £57.



Comparability Factor

For Births 1.09  
For Deaths 0.82



Live Births

	Male	Female	Total
Legitimate	28	29	57
Illegitimate	-	1	1
Total	28	30	58

Birth rate per 1000 population (crude) 21.18  
" " " " (corrected) 23.08

Still Births

Still birth rate per 1000 population - 0.36

Infant Mortality

	Male	Female	Total
Legitimate	1	-	1
Illegitimate	-	-	-
	1	-	1

Infant Mortality rate per 1000 live births - 17.2

Deaths

Mortality rate per 1000 population (Crude) 18.9  
" " " " (Corrected) 15.4

Deaths from:

Puerperal Causes 0  
Cancer 9  
Measles 0

Causes of Death in Llanrwst Urban District during 1950

	Male	Female	Total
Tuberculosis Respiratory	1	-	1
Syphilitic Diseases	2	-	2
Malignant Diseases:-			
Stomach	1	6	7
Breast	-	1	1
Other	-	1	1
Diabetes	-	1	1
Vascular lesions of nervous system	-	3	3
Coronary Disease - Angina	3	1	4
Other Heart Diseases	1	8	9
Other Circulatory Diseases	1	1	2

	<u>Male</u>	<u>Female</u>	<u>Total</u>
Pneumonia	2	-	2
Bronchitis	1	2	3
Other diseases of Respiratory system	1	-	1
Ulcer of Stomach and Duodenum	1	-	1
Gastritis, Enteritis and Diarrhoea etc.	1	-	1
Nephritis and Nephrosis	1	1	2
Other defined and Ill-defined diseases	3	3	6
Motor Vehicle Accidents	1	-	1
All other Accidents	1	1	2
Suicide	2	-	2
	<hr/>		
All Causes	23	29	52
	<hr/>		



LLANRWST URBAN DISTRICT COUNCIL  
Sanitary Inspector and Surveyor's Report (E. E. JONES)  
on the Sanitary Circumstances of the Area

1950

Water Supply

The water supply to the town is from an upland surface source at Crafnant Lake above Trefriw in Caernarvonshire. The supply to all parts of the town has been reasonably maintained during the year, and has been satisfactory.

Samples of water taken for chemical analysis proved satisfactory. There is no trace of lead in the water which has a pH value of 6.7. Of 15 samples of water taken for bacteriological examination, 9 were satisfactory.

A chlorination plant is installed at Cae Crwn, Trefriw.

There are 823 dwelling houses in the Urban area, with a population of 2,600. The majority of houses are supplied with water direct from the public mains. Approximately 50 houses are supplied by stand pipes. The hamlet of Pentretafarnfedw, with approximately 12 houses, is the only portion of the area not supplied from the public mains. Water is obtained from springs for this area.

Scavenging and Refuse Disposal

House refuse is collected by the Council's refuse lorry. A weekly collection is maintained throughout the area. The lorry is of the modern, low loading, metal covered type.

Disposal of the refuse is carried out on low-lying ground at Plas-yn-dre, ground which is subject to flooding on occasions. All refuse is covered with soil.

Salvage of waste paper and other materials is carried out and this brings in considerable revenue to the Council.

Housing

No new houses were built during the year. One house is in course of erection by private enterprise.

Public Conveniences.

Public conveniences in the Town are well provided and kept, being fitted with efficient flushing arrangements and are swilled and cleansed daily with disinfectant.

Disinfection

Six premises were disinfected with Formaline Gas following infectious and other diseases. A quantity of bedding was destroyed on request. Other bedding being treated with formaline gas when disinfection of the infected room is carried out.

Disinfestation.

Two premises were treated for bug infestation.

Rodent Control.

The Council maintains an organisation for effective rodent control. The public sewers were treated for rat infestation twice during the year. The refuse tip also receives periodical treatment. Business premises and private dwellings were also treated, and charges made against the owner or occupier.

Smoke Abatement

There is only one factory chimney in the area. No action was necessary during the year.

### Meat and Other Foods

No slaughtering is carried out in this district, and all meat comes from Colwyn Bay Abattoir.

Inspections of meat and fish in the shops is carried out.

The condition of meat shops, fishmongers and fried fish premises are generally of a high standard.

Two premises are registered for the manufacture and sale of ice cream, and ten persons are registered for the sale of ice cream. Ice cream premises and methods of production are periodically inspected and samples submitted for bacteriological examination.

Five premises are registered for the preparation of preserved foods, etc.

The following foodstuffs were voluntarily surrendered as diseased, unfit, unsound or unwholesome and were destroyed:-

	Lb.
Raw Meat - Beef	86
Mutton and Lamb	132
Pork	51
Raw Fish.	105
Tinned Meat.	16
"    Vegetables	31
"    Soup	17
"    Beans	7
"    Milk	38
"    Peas	13
"    Fish	8
Flour mixtures	85
Cheese	16
Total	<u>605</u>

### Milk Supply

There are four dairies in the area including a large new C.W.S. Dairy which serves as a milk receiving depot to the surrounding districts. The standard of cleanliness at the dairies is high.

### Drainage and Sewerage

The combined system of sewerage covers most of the district. The sewers and manholes are flushed and cleaned periodically.



LLANBERT URBAN DISTRICT (DENBIGHSHIRE)

Regulated Establishments

Those premises situated within the District.	No. on register	No. on register previous year	No. of Visits or Inspections.	No. of premises found defective.	No. of Informal Notices.	No. of these complied with	No. of Statutory Notices	No. of these complied with.	No. of Prosecutions	Surveyors from outside the District
	1. 1949	2. 1949.	3. 1950	4	5	6	7	8	9	10
Retailing Milk Carts	8	8	10							
Dairy Shops	3	2	14							
Public Slaughter House										
Private Slaughter House										
Meat Shops	5	5	16							
Retailing Meat Carts										
Factory Bakerhouses	3	3	13							
Workshop Bakerhouses	1	1	9							
Bread Shops	12	12	12							
Retailing Bread Vans										
Factories (including Factory Bakerhouses & Laundries).	29	29	34	8	8	7				
Workshops (including workshop Bakerhouses & Laundries)	6	6	10							
Workplaces										
Home-Workers' Premises										
Offensive Trades										
Common Lodging Houses										
Milk Dealers on the Register										
A. Occupying premises within the District and selling milk within or outside or both.										
B. Occupying premises outside the District and importing milk into the District										
Slaughterhouses in past and present use.										
	In Dec.1948	In Dec.1949	In Dec.1950							
Registered only	4	4	4							
Licensed	-	-	-							
Total on Register	4	4	4							

NOTE:- The District is without a Public Abattoir.

